

TRENDS
in RIGID
trendsinarigid.com



 **ELITE**
COLLECTION





WATERPROOF LIFEPROOF FOOLPROOF

Silver Rustic Oak

TRENDS
in RIGID



ELITE
COLLECTION

Trends in Rigid provides unprecedented strength, dimensional stability, and damage resistance. The line's unique homogeneous construction combines the highest polymer content with today's most popular visuals to create outstanding waterproof flooring solutions for both commercial and residential installations.

Melded under heat and intense pressure into solid planks, **Trends in Rigid** has a much greater density than traditional composites, resulting in superior surface peel resistance and greater dimensional stability.

Trends in Rigid's Elite collections build on the already outstanding performance of solid rigid core, offering products that perform at an even higher level.



Altholz Mocca Stripe

REPUBLIC

premium solid rigid core



WATERPROOF

Non-organic acoustic underlay is 100% waterproof and will never harbor mold growth.

SWISS QUALITY

Fashion forward visuals are paired with innovative technology to create a product that will not delaminate or cup, includes a comfort core layer for superior walking comfort, and features industry-leading sound dampening.

AMERICAN MADE

Domestic production results in a product that is exceptional in both quality and affordability. This collection is proudly produced in the Midwestern USA using cutting-edge manufacturing processes.

WARRANTY

LIFETIME LIMITED RESIDENTIAL WEAR WARRANTY
LIFETIME LIMITED PETPROOF WARRANTY
15 YEAR LIMITED COMMERCIAL WEAR WARRANTY

SIZING

9" x 60" nom., 229 x 1524 mm
5.7 mm Total Gauge
7 Planks, 26.27 sf per Carton

FEATURES

Wear Layer 0.55 mm/22 mil
Beveled Edge or Square Edge
High-Density Acoustic Underlay
Clickable Floating Installation
Comfort Level™ Walking & Warmth Layer
Industry-Leading Sound Dampening
Patented 7-Layer, Homogenous Extrusion

SPECIFICATION TESTING

Republic Result

Total Thickness ASTM F-386	5.7mm
Wear Layer Thickness ASTM F-410	0.55mm/22 mil
Critical Radiant Flux EN 12524	0.05 m² K/W
Static Load Limit ASTM F-970	250 psi*
Coefficient of Friction ANSI B101.1	0.84
Impact Sound Transmission (IIC)	IIC 69
Airborne Sound Transmission (STC)	STC 63

*Tested with backing attached



100% waterproof core



Impact and damage resistant



Exceptional dimensional stability in variant light and temperatures



Resistant to peeling



Fast, easy, "foolproof" installation



Requires fewer transitions



Significantly reduces telegraphing



Superior acoustic underlayment





Oak Emmen



Oak Missouri



Larche Zermatt



Oak Sacramento



Oak Meramec



Oak Trentino



White Oak Polar



Bush Oak Smoked



White Oak Sand



Walnut



Altholz Macchiato Stripe

REPUBLIC
premium solid rigid core



See these floors in your home with the
Trends room visualizer at trendsinarigid.com



9" x 60" Planks



Altholz Macchiato Stripe
TIR960S0822J



Altholz Mocca Stripe
TIR960S0922J



Bush Oak Smoked
TIR960S0522J



Larche Zermatt
TIR960S1122J



Oak Emmen
TIR960B1222J



Oak Meramec
TIR960S1722J



Oak Missouri
TIR960S2022J



Oak Sacramento
TIR960S1922J



Oak Trentino
TIR960B1022J




Walnut
TIR960S0222J



White Oak Polar
TIR960S0122J



White Oak Sand
TIR960S0622J



See these floors in your home
with the Trends room visualizer
trendsinrigid.com

North Wood